The Gazette



of **Endia**

EXTRAORDINARY FART II—Section 3—Sub-section (ii) PUBLISHED BY AUTHORITY

No. 59]

NEW DELHI, MONDAY, APRIL 1, 1963/CHAITRA 11, 1885

MINISTRY OF MINES & FUEL

NOTIFICATIONS

New Ischi the 1st April, 1963

S.O.945.—In pursuance of clause 4 of the Colliery Control Order, 1945, as continued in force by section 16 of the Essential Commodities Act, 1955 (10 of 1955) and in supersession of the notification of the Government of India in the Ministry of Mines and Fuel No. S.O. 577 dated the 18t March, 1963, the Central Government hereby fixes the following prices at which coal or coke may be sold by colliery owners:—

TABLE 1.—Collicries situated within the States of West Bengal and Bihar

TABLE I(a): Non-coking coal of Selected Grade A, Selected Grade B and Grade I

		Price per ton of	2240 pounds.	Price per tonne of 1,000 kild grams.		
Grade of coal		R in-of-mine, Dust coal and Slack coal.	Steam coal, Rubble and Smithy nuts.	Run-of-mine, Dust coal and Slack coal.	Steam coal, Rubble and Smithy nuts.	
		Rs. nP.	R3. nP.	Rs. nP.	Rs. nP.	
Selected Grade A		25.03	26.09	24.63	25-68	
Selected Grade B.		23.52	24.59	23.15	24.30	
Grade I		22.41	23.46	22.06	23.09	

TABLE I(b): No 1 coking coal of Grade II, Grade IIIA and Grade IIIB.

						Price per ton of:	22 40 pounds.	Price per tonne of 1,000 kilo- gram ₃ .			
	Grade	of o	coal			R in-of-mine, Dust coal and Slack coal.	Steam coal, Rubble and Smithy nute.	Run-of-mine, Dust coal and Slack coal.	Steam coal, R 1bble and Smithy nuts.		
	_					Rs. nP.	Rs. nP.	Rs. nP.	Rs. nP.		
Grade	Π	•	•	•	•	Not exceeding 20190	Not exceeding	Not exceeding	Not exceeding		
Grade	IIIA		•	•		Not exceeding 19:40	Not exceeding	Not exceeding	Not exceeding 20.08		
Grade	IIIB		٠	٠		Not exceeding 18.21	Not exceeding	Not exceeding 17.92	Not exceeding 18-92		

				Price per ton of	2240 pounds.	Price per tonne gran	
Grad	e of	coal		Run-of-mine, Dust coal and Slack coal.	Steam coal, Rubble and Smithy nuts.	Run-of-mine, Dust coal and Slack coal.	Steam coal Rubble and Smithy nut
				Rs. nP.	Rs. nP.	Rs. nP.	Rs. nP.
Α.	-			. 28.18	29.22	27.73	28.76
в.				. 27.17	28.22	26.74	27.77
C·	•		•	. 26.18	27.22	25.77	26.79
\mathbf{D} .				. 24.67	25.72	24.58	25.31
в.				. 24.17	25.22	23:79	24.82
F .			•	. 23.42	24.47	23.05	24.08
G.				. 22.92	23.97	22.56	23.59
н.	-			. 22.67	23.73	22.31	23.36
Grade	F .	1		Price per ton of:	Steam coal,	Price per tonne gram Run-of-mine,	
Grad	e or c	OHI		Dust coal and Slack coal.	Rubble and Smithy nuts.	Dust coal and Slack coal.	Rubble and Smithy nuts.
				Rs. nP.	Rs. nP.	Rs. nP.	Rs. nP.
нн	•		·	Not exceeding 20.92	Not exceeding 21.97	Not exceeding 20.59	Not exceeding 21.62
-				Тавів І(е)	: Washed coking	g coal.	
	-,-			Price per ton of 2	240 pounds.	Price per tonne c	of 1,000 kg s.
					Rs. nP.		Rs. nP.
shed coki ther than he Lodna Aessrs.	coa.	idiing Iwasi Ina	s) fron hery o Collier	n f v	Rs. nP.		Rs. nP.

Note 1.—For the purposes of the above Tables, the grade of any coal shall be determined as follows:—

^{1.} NON-COKING COAL.

⁽a) High Moisture coals.

If the ash and moisture content thereof :-

Selected Grade A (i) does not exceed 17.5 per cent. Selected Grade (ii) exceeds 17.5 per cent but does not exceed 19 per cent (iii) exceeds 19 per cent but does not exceed 24 per cent Grade I. (iv) exceeds 24 per cent but does not exceed 28 per cent Grade II. All analysis of high moisture coals will be carried out on-72 mesh samples after equilibratng under the conditions given below for 48 hours :---40°C+2°C Atmospheric temperature Relative humidity 60 per cent+2 per cent. (b) Low mo, isture coals. If the ash content thereof. -Selected Grade A (i) does not exceed 15 per cent. Selected Grade B (ii) exceeds 15 per cent but does not exceed 17 per cent. Grade I (iii) exceeds 17 per cent but does not exceed 20 per cent. Grade II (iv) exceeds 20 per cent but does not exceed 24 per cent Grade IIIA (v) exceeds 24 per cent but does not exceed 28 per cent. Grade IIIB (vi) exceeds 28 per cent but does not exceed 35 per cent. II. COKING COAL. If the ash content there of — Grade A (i) does not exceed 13 per cent Grade B (ii) exceeds 13 per cent but does not exceed 14 per cent Grade C (iii) exceeds 14 per cent but does not exceed 15 per cent Grade D (iv) exceeds 15 per cent but does not exceed 16 per cent Grade B (v) exceeds 16 per cent but does not exceed 17 per cent (vi) exceeds 17 per cent but does not exceed 18 per cent Grade F Grade G (vii) exceeds 18 per cent but does not exceed 19 per cent Grade H (viii) exceeds 19 per cent but does not exceed 20 per cent Grade HH (ix) exceeds 20 per cent but does not exceed 24 per cent NOTE 2.—The expressions 'Low moisture coals' and 'High moisture coals' mean respectively coals containing moisture not exceeding 2 per cent, and coals containing more than 2 per cent moisture. NOTE 3,-The expression 'coking coal' means all coal which is classified as such by the Coal Board, constituted under the Coal Mines (Conservation and Safety) Act, 1952 (12 of 1952). NOTE 4.—The price at which all coal produced in the Bagrakote, East Bagrakote, Lethi Valley and Fagu collieries may be sold shall be Rs. 31.99 per ton of 2240 lbs. (Rs 31.48 per tonne of 1000 kg.) this price shall be f.o.r. Bagrakote in the case of the Bagrakote and Bast Bagrakote collieries, f.o.r. Oodlabari, and Damdim, North East Frontier Railway in the case of the Lethi Valley Colliery and f.o.r. Oodlabari, North East Frontier Railway in the case of the Fagu colliery. TABLE I(f): Soft Coke Grade of coke Price per ton of 2240 pounds. Price per tonne of 1,000 kilograms. Rs. nP. Rs. nP. Soft Coke not exceeding 45 per cent ash content. 31.63 31,13

NOTE.—The prices given under Tables I(a), I(b), I(c), I(d), I(e), and I(f) are for delivery free on rail at or at the loading point nearest to the colliery, or free on tramway or road vehicle at the colliery.

TABLE II.—Collieries situated within the States of Madhua Pradesh, Orissa, Maharashtra and Gujerai

					Price per ton of 2	240 pounds	Price per tonne of 1,000 kilo- grams			
Grade (of ¢	coal			Run-of-mine, Dust coal and Slack coal	Steam coal, Rubble and Smithy nuts	Run-of-mine, Dust coal and Slack coal	Steam coal, Rubble and Smithy nuts		
			-		Rs. nP.	Rs. nP.	Rs. nP.	Rs. nP.		
Selected Grade	:				26.00	27-00	25.59	26.57		
Grade I .				,	25.01	26.00	24.61	25.59		
Frade II					23.88	24-89	23.50	24.20		
Grade III .					22.90	23.90	22.54	23.52		

Note: 1.—For the purposes of the above Table, the grade of any coal shall be determined as follows:—

If the ash and moisture content thereof :-

(i) does not exceed 19 (ii) exceeds 19 per cent (iii) exceeds 24 per cent (iv) exceeds 28 per cent	Selected Grade Grade I Grade II Grade III					
all analysis of high mois equilibrating under the	ture co	als wi	ll be iven b	carrie clow:	d out on for 48 hou	.—72 mesh samples after irs :—
Atmospheric temperat	ure.				•	40°c—2°c
Relative humidity.						60 per cent ± 2 per cent.

Noie 2.—The prices given under Table II above are for delivery free on rail at or at the loading point nearest to the colliery, or free on tramway or road vehicle at the colliery.

TABLE III. -Collieries situated within the State of Assam

Name of colliery	Type of coal	Price per ton of 2240 pounds	Price per tonne of 1,000 kilograms
		Rs. nP.	Rs. nP.
Margherita Collieries of the Assam Railways and Trading Company .	Run-of-mine Dust coal Hand picked coal Hard coke.	32·59 32·59 39·10 90·36	32.08 32.08 38.48 88.93
Nazira Coal Company Ltd., Borgan. Dilli Colliery of Dilli Colliery	Run-of-mine	27.35	26.92
	Run-of-mine	27.35	26.92
• • ·	Run-of-mine	27.35	26.92
Kodajan Colliery	Run-of-mine	27.63	27.19
Bimalapore Colliery	Run-of-mine	27.35	26.92
Sheelvata Colliery	Run-of-mine	27.63	27.19

NOTE 1.— The prices given under Table III are for delivery free on rail at the colliery in the case of the Margherita collieries of the Assam Railways and Trading Company Limited and for delivery free on road vehicle at the colliery in the case of the other sollieries.

NOTE 2.—In the case of sales on f.o.r. basis by the Nazira Coal Company Limited and the Dilli, Sheelvata, Bimalapore, Jeypore and Koilajan collieries mentioned in Table III above, the f.o.r. prices shall be determined by adding to the prices mentioned against each in Table III above, the following amounts namely :-

Nazira Coal Company Limited, Borgan.

A sum of Rs. 5/- per ton of 2240 pounds (Rs. 4.92 per tonne of 1,000 kilograms).

Dilli Colliery of Dilli Colliery Company, Sheelvata A sum calculated at the rate of 50 nP. per Colliery, Bimalapore Colliery of Bimalapore Collieries (Private) Limited and Jeypore Colliery.

ton of 2240 pounds for each mile (31 nP. per tonne of 1,000 kilograms per kilometre) of the distance between the pit-head and the rail-head.

Koilajan Colliery

A sum calculated at the rate of 75 nP. per ton of 2240 pounds for each mile (46 nP. per tonne of 1,000 kilograms per kilometre) of the distance between the pit-head and the rail-head.

TABLE IV.—Collieries situated within the territories formerly known as Khasi States in the State of Assam

(1) Laitryngew mine of Cherra Chattak Ropeway Company and Thangjinath mine.

Name of colliery			Type of coal	Price per ton of 2240 pounds	Price per tonne of 1,000 kilograms	
					Rs. nP.	Rs. nP.
Laitryngew mine				Run-of mine coal	18.88	18.28
Thangjinath mine				Run-of-mine coal	15.88	15.63
				Lump coal	19•16	18.86
				 		

(2) Any other colliery.

Type of coal							rice per ton of 2240 pounds	Price per tonne of 1,000 kilograms
							Rs. nP.	Rs. nP.
Lump coal .	.•	•		-			19.16	18.86
Run-of-mine coal	•		•		•	•	13.91	13.69
Coke		•			•		35:30	34.74

TABLE V .- Collieries situated within the State of Andhra Pradesh

(1) Singareni Group of Collieries (Except Yellendu).

	Т	rice per ton of 2240 pounds	Price per tonne of 1,000 kilograms							
		·,							Rs. nP.	Rs. nP.
Round coal .									30.12	29.67
Separator Nut coal	I":	2" (25	4 mil	limet	res—5	о-8 п	alllime	tres).	30.15	29.67
Nut coal I"-1" (12	2.7 mi	llimetr	es2	5·4 m	illime	tres)	٠		28.65	28.20
Run-of-mine coal									29.65	29.18
No. 2 coal .								•	29.15	28.69
Slack coal o"-1" (o millimetre-2									27.15	26.72

(2) Yellendu Colliery.

Type of coal	Price per ton of 2240 pounds	Price per tonne of 1,000 killograms	
	Rs. nP.	Rs. nP.	
Round coal	29.15	28.69	
Separator Nut coal	29.15	28-69	
Nut coal \"-1" (12.7 millimetres-25.4 millimetres)	27-65	27.21	
Run-of-mine coal	28.65	28.20	
No. 2 coal	28 · 16	27.72	
Rough Slack o'-2" (o millimetre-50.8 millimetres).	28-16	27.72	
Slack coal o"—1" (o millimetre—12.7 millimetres) and o"—1" (o millimetre—25.4 millimetres).	} _{26·16}	25.75	

Note.—The prices given under Table V are for delivery free on rail at or at the loading point nearest to the colliery or free on tramway or road vehicle at the colliery.

TABLE VI.—Coke							
Name of steel plants and cokeries producing coke	Grade of coke	Price per ton of 2240 pounds	Price per tonne of 1,000 kilograms Rs. nP.				
Bhilei Steel Plant (Hindustan Steel Ltd.).	Hard coke from Bye-product ovens [Large Rubble or Smithy over ½ (over 12.7 millimetres)]—	Rs. nP.					
	(i) If the ash content exceeds 24 per cent but does not exceed 30 per cent.	Not exceeding 60.93	Not exceeding 59:97				

TABLE VI.—Coks—contd.								
Name of steel plants and cokeries producing Coke	Grade of coke	Price per ton of 2240 pounds	Price Per tonne of 1,000 kilograms					
		Rs. nP.	Rs. nP.					
	(ii) If the ash content of not exceed 24 per cen		ng Not exceeding 67.25					
	Coke Breeze under (under 12·7 millimetre	Not exceedings). 11.39	ng Not exceeding					
Rourkels Steel Plant (Hindustan Steel Ltd.)	Hard Coke from Bye-prod Ovens [Large Rubble Smithy over 1 (over 1 millimetres.)]	or	or					
	(i) If the ash content exce 24 per cent but does exceed 30 per cent.		Not exceeding 55.23					
	(ii) If the ash content of not exceed 24 per cen		ng Not exceeding 62.51					
	Coke Breeze under 🗗 (u 12·7 millimetres).	nder Not exceedi 10.59	ng Not exceeding					
Durgapur Steel Plant (Hindustan Steel Ltd.) Durgapur Coke Oven Plant (West Bengal Govt.)	Hard Coke from Byc-proc Ovens [Large Rubble Smithy over] (over I millimetres)	or						
Coke Oven Plant, Burnpur, (Indian Iron and Steel Co., Ltd.)	If the ash content does exceed 24 per cent.	not Not exceedi 60:30	ng Not exceeding 59:35					
,	Coke Breeze under ½" (un 12.7 millimetres).	der Not exceedi. 10.05	ng Not exceeding 9.89					
Bye-product ovens other than those mentioned above.	Hard coke [Large Rul or Smithy over 1" (C 12.7 millimetres.)]	oble Ver						
	(i) If the ash content exce 24 per cent but does exceed 30 per cent.		Not exceeding 43.67					
	(ii) If the ash content d not exceed 24 per cen	ocs Not exceeding t. 51.77	Not exceeding					
	Coke Breeze under (under 12·7 millimetre	Not exceedings 8.63	ng Not exceeding 8.49					
Bee-hive and Country Ovens.	Hard Coke [Large Rubble Smithy over } (over 12 millimetres)]	e or 2•7						
	(i) If the ash content exce 24 per cent but does exceed 30 per cent.		Not exceeding					
	(ii) If the ash content does exceed 24 per cent.	not Not exceeding 50.02	Not exceeding 49.23					
	Coke Breeze under 1 (un 12·7 millimetres)	der Not exceedin 8:34	Not exceeding 8.21					

Explanation.— (i) The prices given in the above Tables from I to VI-

- (a) are exclusive of Stowing Excise Duty, Rescue Station Excise Duty, Soft Coke Cess Excise Duty, Labour Welfare Cess Excise Duty, any tax leviable under the sales Tax law of any State or under the Central Sales Tax Act, 1956 (74 of 1956) and any other additional Excise Duty Cess or impost which the Central Government may hereafter declare to be payable by consumers of coal, but inclusive of all other cesses or imposts;
- (b) are exclusive of delcredere agents' margin permissible under clause 6 of the Colliery Control Order, 1945;
- (c) do not apply to retail sales of less than one ton of 2240 pounds, or less than I tonne of 1,000 kilograms as the case may be, on any one day for delivery by road; and
- (d) do not apply to overloaded weigh-bridge coal or coke;
- (ii) when delivery is free on rail, the weight charged for shall be the weight ascertained at a railway weigh-bridge and when delivery is free on tramway or road vehicle the weight shall be ascertained in such manner as may be prescribed by the Coal Controller; and
- (iii) the expressions 'tonne', 'millimetre' and 'kilometre' shall have the meanings respectively assigned to them in notification No. S.O. 290 dated the 30th January, 1959 as subsequently amended by no ification No. S.O. 1035 dated the 20th April, 1959 of the Government of India in the Ministry of Commerce and Industry.
- 2. Nothing in this notification shall apply to hard coke having ash content not exceeding 20 per cent and phosphorous content not exceeding .05 per cent,

[No. C5-12(3)/63-I.]

S.O. 945A.—In pursuance of clause 4 of the Colliery Control Order 1945, as continued in force by section 16 of the Essential Commodities Act, 1955 (10 of 1955), and in supersession of the notification of the Government of India in the Ministry of Mines and Fuel No. S. O. 578, dated the 1st March, 1963, the Central Government hereby fixes the following prices at which coal or coke over-loaded at any weigh-bridge may be sold by colliery owners, namely:—

Description	Price per ton of 2240 pounds	Price per tonne of 1,000 kilograms
	Rs. nP.	Rs. nP.
 (a) All overloaded weigh-bridge coal or coke disposed of at any rallway weigh-bridge in West Bengal and Bihar other than at the Mahuda Weigh-bridge 	19-15	18·85
(b) All overloaded weigh-bridge coal or coke disposed of at the Mahuda weigh-bridge.	17-15	16.88
(c) Overloaded coal or coke of Bagrakote and East Bagrakote collieries in Darjeeling in West Bengal	31•48	30.98

Description	Price per ton of 2240 pounds	Price per tonne of 1,000 kilograms
2. All overloaded weigh-bridge coal or coke disposed of at any railway weigh-bridge	Rs. nP.	Rs. nP.
in the States of Madhya Pradesh, Orissa, Maharashtra and Gujerat	22.34	21•99
3. All overloaded weigh-bridge coal or coke disposed of at any railway weigh-bridge in Assam .	26•84	26•42
4. All overloaded weigh-bridge coal or coke disposed of at any railway weigh-bridge in the State of Andhra Pradesh	27:59	27.15

Explanation.—The expression 'Overloaded weigh-bridge coal or coke' means all coal, bye product and bee-hive hard coke or soft coke which is taken off any loaded wagon and stacked at the railway weigh-bridge for the purpose of adjusting the weight of wagons according to permissible axle load.

NOTE.—The expression 'tonne' shall have the meaning assigned to it in notification No. S.O. 290 dated the 30th January, 1959 of the Government of India in the Ministry of Commerce and Industry.

[No. C5-12(3)/63-II.]

CHHEDI LAL, Jt. Secy.